Old Auto Rubber Australia

ILLUSTRATED GUIDE

Profiles and Clips 2017

Contents

Screen Seal

Windscreen or Glazing Seals—Group 1 6
Windscreen or Glazing Seals—Group 2 7
Windscreen or Glazing Seals—Group 3 8
Windscreen or Glazing Seals—Group 4 9

Locking Strips

Locking Filler Strips—Plastic/Chrome 10
Locking Filler Strips—Rubber 10
Locking Strips—Tool 10
Centre Bar Seals 11
Mylar Joining/Corner Peices 11
T Sections 11

Rubber Extrusions

Rubber Extrusions—Suite Vintage Screen Seals 12

Pinchweld

Pinchweld—PVC Black 13
Pinchwel—PVC Coloured 13
Pinchweld—EDPM Rubber Finish 13

Pinchweld and Seal

Pinchweld and Seal—PVC Finish 14
Pinchweld and Seal—EDPM 14
Pinchweld—With Flap 14
Pinchweld and Seal—Boot Seal 15
Boot Seals—Ready to Install 16
Self Adhesive Bulb Seal 16

Quarter Vent Seals

Quarter Vent Seals 17
Quarter Vent Seals—Radius Bend 17

Rubber Extrusions

Rubber Extrusions—Quarter Vent Upright Seals 18
Quarter Vent Seals—Moulded—Front 18
Rubber Extrusions—General Purpose 19

P Section 22
Tank Strap 23
U Channel 23
UnCured—Mounting Rubber 24

Sponge Extrusion

Sponge Extrusions—Roof Rail 25
Sponge Extrusions—Door Seal on Body 25
Sponge Extrusions—Door Seal on Door 26
Sponge Extrusions—Boot Seal on Body 27
Sponge Extrusions—Boot Seal on Lid 27
Sponge Extrusions—General Purpose 28
Sponge Extrusions—General Purpose—Square/Rectangle 29
Sponge Extrusions—General Purpose—Round 29

Weather Strips

Weatherstrips/Doorbelts—Rubber (Flexible)–length 30
Weatherstrips/Doorbelts—Rubber (Flexible)–roll 30
Weatherstrips/Doorbelts—Rigid with Rubber Flock Coating 30
Weatherstrips/Doorbelts—Pile Lining 31
Weatherstrips—Multi-Fill 31
Weatherstrips—Self Adhesive 31
Weatherstrips—Half Bailey Channel, Rigid 31

Bailey Channel

Bailey Channel—Flexible 32
Bailey Channel—Rigid 32
Bailey Channel—Flock Coated Rubber 33
Bailey Channel—Flock Coated Rubber (continued) 34
Bailey Channel—Double Rubber 34
Felt—Channel Lining 34

Clips and Fasteners

Accelerator Linkage Clips 35
Badge Retainers 35
Body Mould Retainers—Butterfly 35
Body Mould Retainers—Metal Plates 36
Body Mould Retainer—Plastic 36
Body Mould Retainer—Wire 37
Body Cable Clips 37
Caged Nuts 37
Door Handle Clips 37

Bonnet Insulator Clips 37
Door Lock Trim 38
Door Seal Clips 38
Canoe Clips 38
Door Seal Insulator 38
Door Trim Retainers 39
Bumper Clips 39
Fasteners—Durable Dot 40
Turn Button Fasteners 40
Headlight Clips 40
Guard Mounting Bolts 40
Helmut Nuts—Self Cutting 41
Nuts—Hex 41
J Nuts 41
Nuts—Nutserts 41
Interior Clips—Christmas Tree 42
Lock Fittings 43
Pipe Clamps 43
Rivits 43
Jack Handle/Bonnet Stay Clips 43
Screws 44
Scrivets 44
Screw Grommets—Grille Retainers 45
Screen Seal Clips 45
Gill Clips 45
Speed Nuts—Push-on Retainers 46
Trim Fasteners 46
Tonneau Cover Fasteners 46
Washers—General (metal) 47
Washers—Raised Cup (metal) 47
Washers—Countersunk (metal) 47
Washers—Mudguards (metal) 48
Weatherstrips Clips 48

Step Treads

Step Treads 49
Rubber Matting 49

Wheel Retainers

Wheel Chocks—Heavy Duty Rubber (not to 1:1) 50
Speed Bump 50
Cable Protector 50

Docking Rubber

Docking Rubber—Heavy Duty 51
Wiring Harness Strap 52

Hoses

Booster Hose 53
Transmission Cooler Hose 53
Fuel Hose 53
Heater Hose 54
LPG Vapour Hose 54
Vacuum and Washer Tubing 54
Radiator Overflow Tube 55
EFI Hose 55
Straight Hose 56

Rubber Moulding

Rubber Moulding 57
Engine Mounts 58
Step Treads 58
Pedal Pads—Table 59
Pedal Pads—Illustration (not to scale) 61
Bump Stops—Domed/Rounded Head 63
Bump Stops—Flat Head—Table (Illustrations on following pages) 64
Bump Stops—Flat Head—Table (Illustrations on following pages) 64
Bump Stops—Flat Head—Illustraion 65
Stoppers—Twin Pronged 67
Floor Plugs 67
Stoppers—Plastic 68
Grommets—Flanged, Blank 69
Grommets—Parallel Sided, Blank 70
Grommets—Flanged, Wiring Harness 71
Grommets—Oval, Blank 73
Grommets—Oval with Hole 74
Grommets—With Neck 75

Screen Seal

Windscreen or Glazing Seals—Group 1



These groups are used on vehicles where, the glass is larger than the hole in the body. The glass is fitted from the inside of the body. In most cases, there is an internal surround held in place with screws which helps to secure the windscreen.

These applications will generally have rounded corners which our material will form to. Angled corners and tight radiuses are a problem.



218.001
25m



218.002
25m



218.012
25m



218.015
25m



218.027
25m



218.034
25m



218.088
25m



218.094
25m



218.100
25m



218.101
25m



218.105
25m



218.116
30m^



218.117
30m^



218.121
30m^



218.122
30m^

218.123
20m^

Windscreen or Glazing Seals—Group 2



These rubbers are mostly used on later model cars and trucks, from mid-40s on. This style allows the glass to be fitted to the inside of the body or the outside bodywork and gives coverage to the bodywork exterior or to cover head trim inside the vehicle and allows the interior retainer to be done away with. Some of these have provisions for retaining the original maker's stainless steel moulding strips. A lot of these sections we have used to manufacture ready to fit screen seals for your vechilces.

218.005
25m

218.011
25m

218.028
25m



218.029
25m

218.030
25m

218.035
25m

218.041
25m

218.045
25m

218.046
25m

218.047
25m

218.060
25m

218.069
25m

218.070
25m

218.071
25m

218.076
25m

218.077
25m

218.078
25m

218.079
25m

218.084
25m

218.085
25m

218.091
25m

218.092
25m

218.093
25m

218.096
30m

218.104
50m

218.110
30m

218.115
30m

Windscreen or Glazing Seals—Group 3

This group of seals are all suited to vehicles with framed front windscreens. These may be able to be opened by pushing out or winding a handle. The frame on these screens has a small slot, mostly T-shaped into which the rubber slides.

For ease of instillation, ensure that this slot is absolutely clear and free of burs. For ease in application the rubber and frame should be lubricated with a detergent solution.

368.001 3.6m
368.002 1.8m

368.003 3.6m
368.004 1.8m

218.013
30m

218.042
30m

218.083
30m

218.090
30m

218.103
20m

218.113
30m

218.118
30m

218.127
30m

Windscreen or Glazing Seals—Group 4

Also known as 'parallel fit glass' rubbers or H-section rubbers, the glass is always smaller than the hle and fits in line with the flange of the hole.

These are mostly used for screens which have rounded corners, again, some are made with special flanges to allow original stainless steel mouldings to be inserted. The use of a filler strip for locking and sealing is a major part of this system.

A locking strip tool is useful for inserting and removing the locking strip from the screen ribber.

218.017
20m

218.119
30m^

218.125
25m^

218.003B + 217.003
25m

218.040
25m

218.072
25m

218.074
25m

218.075B + 217.002
25m

218.080B + 217.002
25m

218.081B + 217.002
25m

218.082B + 217.002
25m

218.097B +217.002
25m

218.106
18m

218.108
20m

218.109
25m

218.111
30m



218.112
30m

218.114
30m

218.126
25m^

Locking Strips

Locking Filler Strips—Plastic/Chrome

These spreaders or licking strips or locking fillers are fitted to your windscreen rubber after installation to tighten the rubber to the glass and the body. In some cases, these are only decorative and do not assist the function of sealing. It is advisable to always replace the part to ensure your safety.

217.001
30m

217.002
30m

217.003
50m

217.005
50m

217.007
50m

217.008
30m

217.009
30m

217.013
50m

217.016
50m

Locking Filler Strips—Rubber

217.002
25m



217.006
25m

217.010
25m



217.011
30m

217.014
25m

217.015
25m



217.017
25m



217.018
25m



217.019
50m



218.014A
30m^

Locking Strips—Tool

This tool most suitable for use with our Group 3 and 4 windscreen rubbers. Various shaped and size head attachments are available.

611.003

611.004



611.005

611.002
Locking Strip Tool
(Spare Tips Available)

611.006

611.007

611.008

Centre Bar Seals

219.001B
20m

219.004
25m

219.005
25m

219.006B
1.3m

219.008
2 x 500mm

219.00B
1.2m

219.010S
4.5m

219.011
0.5m



219.012
1.8m

Mylar Joining/Corner Peices

217.050

217.052

T Sections



210.010
30m^



210.011
30m



210.012
30m^



210.004
25m

210.008
25m

210.005
25m



210.006
25m

Rubber Extrusions

RUBBER EXTRUSIONS—Suite Vintage Screen Seals

212.002
25m

231.002
1.3m

213.005
1.2m

213.006
25m

213.008
25m

214.002
30m

214.003
30m

214.004
30m

214.850
25m

214.855
25m

214.860
3.2m

Pinchweld

PINCHWELD—PVC Black



320.002
50m



320.005
100m



320.009
150m



320.010
50m



320.018
50m



320.017
50m



320.018
50m



320.019
50m



320.020
100m



320.026
1500m^

PINCHWEL—PVC Coloured



50m

321.002 Blue/Grey
321.003 Grey
321.008 Charcoal

PINCHWELD—EDPM Rubber Finish



320.011
50m



320.012
50m



320.014
50m^



320.015
50m



320.016
50m

Pinchweld and Seal

Pinchweld and Seal—PVC Finish

322.002
25m



322.003
50m



322.014
50m



322.017
50m



322.023
50m



322.026
100m



322.067
50m



322.079
50m^

Pinchweld and Seal—EDPM



322.013
50m



322.025
50m



322.031
50m



322.066
50m



322.068
50m



322.075
50m



322.076
50m^



322.077
50m

Pinchweld—With Flap



320.013
50m^



322.024
50m

Pinchweld and Seal—Boot Seal



322.006
50m



322.008
50m



322.018
50m



322.026
50m



322.027
50m



322.028
50m



322.029
50m



322.030
50m



322.035
3.5m



322.037
50m



322.073
50m



322.074
50m



322.078
50m



322.080
50m



322.082
50m^

Boot Seals—Ready to Install

Part	Vechile
225.004	Austin A40
225.003	Chevorlet 1962/70
225.023	Datsun 1600/1200
225.006	Ford 1937/48
225.015	Ford Anglia 1962
225.037	Ford EA/ED
225.012	Ford XA/B/C Coupe
225.011	Ford XD
225.007	Ford XM/XP
225.014	Ford XR/XT
225.010	Ford XW/Y XA/C ZF
225.027	Holden Commodore VB/VL
225.039	Holden Comodore VN
807.002	Holden EH
807.011	Holden EJ
807.001	Holden FE/FC FB/EK
807.000	Holden FX/FJ
225.031	Holden Gemini TE/TG
225.029	Holden Gemini TX/TD Sedan
807.010	Holden HD
807.005	Holden HK/T/G
807.006	Holden HQ
807.004	Holden HR
807.007	Holden Torana
807.008	Holden Torana LH/LX/UC
806.010	Holden Torana LH/LX/UC Hatch

Part	Vechile
225.019	Leyland P76
225.024	Mazda 808/RX3 Coupe
225.018	Mini Minor 850
225.001	Morris 1000 Early
225.013	Morris 1000 Late
322.065	Nissan
225.025	Peugeot 1956/64 403 Sedan
225.057	Suzuki Swift 1988 Sedan
225.038	Toyota Celica RA60 Coupe
225.030	Toyota Celica TA20/22 RA23
225.033	Toyota Carolla AE82 Hatch
225.056	Toyota Carolla AE92 Seca Hatch
225.055	Toyota Corona ST141 Sedan
225.026	Toyota Seca
225.016	Valiant AP5/6
225.020	Valiant R/S Series
225.021	Valiant VC/VG
225.034	Valiant VF/G Coupe
225.036	Valiant VH/CM Charger
225.054	VW Country Buggy (Front Boot)
225.053	VW Country Buggy (Engine Cover)

Self Adhesive Bulb Seal

Pressure Sensitive
adheisive backed
UV stabalised



319.001
100m



319.100
152.4m



319.101
100m



319.102
19mm x 15mm x 30m

Quarter Vent Seals

Quarter Vent Seals



220.004
25m



220.005
30m



220.006
25m



220.007
25m



220.008
20m

220.009
20m



220.011
1.8m



220.017
2.2m



220.015
2m



220.021
25m



220.024
1.8m



220.025
2m



220.056B
2.4m



220.057B
2.8m

220.058
25m

220.059
2m

220.010B
Radius Bend

Quarter Vent Seals—Radius Bend



220.012B
Large Radius Bend



220.013B
Radius Bend



220.020B
Small Radius Bend

220.026B
Radius Bend

220.028B
Radius Bend

Rubber Extrusions

Rubber Extrusions—Quarter Vent Upright Seals

222.001
25m

222.003
25m

222.004
25m

222.005
25m

222.006
25m

222.010B
25m

222.011B
25m

222.012
1m

Quarter Vent Seals—Moulded—Front

221.091	Datsun 1200 Fr LH
221.092	Datsun 1200 Fr RH
221.101	Datsun 1200 Coupe Fr LH
221.102	Datsun 1200 Coupe Fr RH
221.073	Ford Cortina Mk 1, 2 dr Fr LH
221.074	Ford Cortina Mk 1, 2 dr Fr RH
221.077	Ford Cortina Mk 1, 4 dr Fr LH
221.078	Ford Cortina Mk 1, 4 dr Fr RH
221.043	Ford XK/P Fr LH
221.044	Ford XK/P Fr RH
221.117	Ford XM/P Coupe Fr LH
221.118	Ford XM/P Coupe Fr RH
221.037	Ford XR/Y ZA/D Fr LH
221.038	Ford XR/Y ZA/D Fr RH
221.085	Ford Zephyr Mk 2 Fr LH
221.084	Ford Zephyr Mk 2 Fr RH
221.065	Ford Zephyr Mk 3 Fr LH
221.066	Ford Zephyr Mk 3 Fr RH
221.109	Ford F100 Fr LH
221.110	Ford F100 Fr RH
221.115	Toyota L/Cruiser FJ40 Fr LH
221.116	Toyota L/Cruiser FJ40 Fr RH
221.057	Morris Minor Fr LH
221.058	Morris Minor Fr RH

221.006	Holden FJ Fr LH
221.007	Holden FJ Fr RH
221.009	Holden FX Fr LH
221.010	Holden FX Fr RH
221.033	Holden FB/EK Fr LH
221.034	Holden FB/EK FR RH
221.013	Holden FE/FC Fr LH
221.014	Holden FE/FC Fr RH
221.029	Holden EJ/EH Fr LH
221.028	Holden EJ/EH Fr RH
221.018	Holden HD/HR Fr LH
221.019	Holden HD/HR Fr RH
221.027	Holden HK/T/G Fr LH
221.026	Holden HK/T/G Fr RH
221.095	Holden HK/T/G Monaro Fr LH
221.045	Holden HK/T/G Monaro Fr RH
221.046	Holden Torana LC/J Fr RH
221.056	Holden Torana LC/J Fr LH
221.079	Jaguar Mk 1 Fr LH
221.080	Jaguar Mk 1 Fr RH
221.069B	Mini Mk 2/Clubman F r LH
221.070B	Mini Mk 2/Clubman Fr RH

Rubber Extrusions—General Purpose

223.003
1.2m

224.001
1.4m

225.002
25m

225.005
25m

231.001
25m

231.002
4m

231.007
25m

231.008
3.5m

231.009
25m

231.010
20m^

231.011
30m^

234.001
25m



234.004
25m

234.005
25m

234.006
25m

234.008
25m

234.009
25m

234.010
25m

234.011
25m

234.012
25m

234.013
25m



234.014
30m

235.007
25m

235.008
25m

235.009
1.4m

235.010
25m

235.011
25m



235.018
25m

235.019
25m

235.012
2m

235.013
1.5m

235.017
25m

241.002
25m

241.003
25m

241.004
100m



241.005
25m

241.006
25m

241.007
25m

241.017
25m

241.020B
25m

241.021B
25m

241.022
1.8m

241.023
1.8m

241.027
100m

241.028
25m

241.032
25m

241.033
2.1m

241.035
1m

241.035B
25m

241.036
25m

241.038
1.8m

241.039
25m

241.041
25m

241.043
25m

241.044
2 x 300mm

241.044B
2m

241.045
3.8m — min order 20L (76m)

241.046
3.8m — min order 40L (140m)

241.049
2.5m



241.052
100m

241.066
30m

241.067
30m^

241.084
30m

241.083
30m^

241.087
30m^

241.094
3.66m

241.102
30m^

241.103
25m^

241.104
30m^

241.114
50m^

218.107
30m

242.003B
25m^

P Section

226.002
25m

226.004
3.5m

226.007
30m

226.008
50m

226.009
30m^

226.011
30m^

226.012
30m^

226.013
20m

Tank Strap

241.029	25m	Fits 32mm
241.105	50m^	Fits 40mm
241.047	50m	Fits 50mm



U Channel

241.050
30m

241.051
30m

241.053
30m

241.055
30m

241.056
100m

241.057
30m

241.058
30m

241.059
30m

241.060
30m

241.061
25m^

241.062
50m

241.063
30m^

241.064
30m

241.065
30m

241.068
30m^

241.069
30m^

241.070
Grey
100m^

241.071
50m

241.072
100m

241.075
30m^

241.009
50m

241.010
25m

241.012
25m

241.015
25m

241.076
30m

241.077
30m^

241.078
30m^

241.079
30m

241.081
30m

241.082
30m

241.085
30m^

241.086
30m^

241.088
30m

241.089
30m

241.090
30m^

241.091
30m

241.092
30m^

241.093
30m^

241.099
150m

241.100
100m

241.106
30m^

241.110
20m^

241.111
30m^

241.113
25m^

241.074
30m^

UNCURED—Mounting Rubber

241.008
30m



241.013
30m

Sponge Extrusion

Sponge Extrusions—Roof Rail

260.008
30m

260.040
30m

260.043
30m

260.050
30m

Sponge Extrusions—Door Seal on Body

260.009
30m

260.012
30m

260.023
30m

260.035
30m

260.036
30m

260.039
50m

260.048
30m

260.049
30m

260.054
30m

260.055
30m

260.057
30m

260.058
30m

260.060
30m

260.070
30m

260.095
30m

260.098
30m

260.114
50m^

260.148
50m

Sponge Extrusions—Door Seal on Door

260.007
30m *(clips at 95mm)*

260.010
30m

260.011
30m

260.024
30m

260.027
30m

260.028
30m

260.033
30m

260.034
30m

260.042
50m

260.062
30m

260.071
30m

260.072
30m

260.076
30m

260.077
30m

260.088
30m

260.089
30m

260.093
30m

260.094
30m

260.115
50m^

260.116
50m^

260.118
50m

260.134
50m^

260.140
30m

260.147
50m^

260.151
50m

260.153
50m^

260.160
50m^

260.162
50m *(clips at 95mm)*

260.188
30m

Sponge Extrusions—Boot Seal on Body

260.006
30m

260.029
30m

260.031
30m

260.038
30m

260.041
30m

260.044
30m

260.064
30m

260.065
30m

260.075
30m

260.159
50m^

260.163
50m

260.164
50m

Sponge Extrusions—Boot Seal on Lid

260.032
30m^ *(clipls at 98mm)*

260.067
30m

260.080
30m



260.090
30m

260.149
50m^

Sponge Extrusions—General Purpose

260.004
30m

260.005
30m

260.045
30m

260.066
50m

260.073
30m

260.074
30m

260.079
30m

260.081
30m^

260.100
50m

260.109
30m^

260.145
30m

260.167
30m

260.168
30m

260.169
30m^

260.170
30m

260.172
100m

260.173
30m

260.174
30m

260.171
50m

Sponge Extrusions—General Purpose—Square/Rectangle

Product	X (mm)	Y (mm)	Z (m)
260.105	25	**1.5**	30
260.104	8	**3**	30
260.186	13	**3**	30
260.156	25	**3**	30
260.144	32	**3**	30
260.136	38	**3**	30
260.139	10	**4.5**	30
260.137	17.5	**4.5**	30
260.143	25	**4.5**	30
260.112	38	**4.5**	30
260.176	6	**5**	30
260.051	13	**5**	30
260.013	6	**6**	30
260.196	10	**6**	30
260.020	13	**6**	30
260.141	19	**6**	30
260.014	25	**6**	30
260.128	32	**6**	30
260.099	38	**6**	30
260.177	44	**6**	30
260.178	48	**6**	30
260.108	50	**6**	30
260.142	70	**6**	50
260.101	10	**8**	30
260.157	10	**10**	30
260.015	12	**10**	30
260.145	16	**10**	30
260.138	17.5	**10**	30

Product	X (mm)	Y (mm)	Z (m)
260.016	19	10	30
260.017	25	10	30
260.129	32	10	30
260.131	38	10	30
260.132	50	10	30
260.102	11.5	11.5	30
260.019	25	12	30
260.158	22	12.5	30
260.179	50	12.5	30
260.018	13	13	30
260.122	16	13	30
260.123	19	13	30
260.021	50	13	30
260.097	38	13	30
260.096	44	13	30
260.135	16	16	30
260.187	19	16	30
260.126	25	16	30
260.198	50	16	30
260.111	19	19	30
260.113	25	19	30
260.199	32	19	30
260.184	38	19	30
260.183	21	21	30
260.127	25	25	30
260.106	32	25	30
260.110	38	25	30
260.133	50	25	30



Sponge Extrusions—General Purpose—Round

Product	Size (mm)	Roll Length
260.046	4	30m^
260.121	5	30m
260.022	6	30m
260.119	7	50m
260.026	10	30m
260.025	12.5	30m
260.120	15	30m
260.103	19	30m



Weather Strips

Weatherstrips/Doorbelts—Rubber (Flexible)–length

216.007
2m

216.012
2.4m

216.031
0.6m

216.035
2.4m

216.002
2.4m

216.025B
1.3m

216.036
1.8m

216.038
2.4m

Weatherstrips/Doorbelts—Rubber (Flexible)–roll

216.001
25m

216.021
25m

216.026
25m

216.041
30m

216.030
25m

Weatherstrips/Doorbelts—Rigid with Rubber Flock Coating



216.020
1.8m

216.033
1.1m

216.034
2.4m

216.039
1m

216.042
1m

216.044
1m

Weatherstrips/Doorbelts—Pile Lining

350.900
2.4m—Rigid

350.906
50m—Flexible

Weatherstrips—Multi-Fill

350.901
50m—Channel

350.902
50m

350.903
50m

350.904
150m



350.905
50m

Weatherstrips—Self Adhesive

350.921
50m

350.922
50m

350.923
50m

350.924
50m

Weatherstrips—Half Bailey Channel, Rigid



4. Stainless Steel Bead
6. Rubber Covered
7. Pile Lining

350.003
2.4m



4. Stainless Steel Bead
6. Rubber Covered
7. Pile Lining

350.052
2.4m



4. Stainless Steel Bead
7. Pile Lining

350.054
2.4m



6. Rubber Covered
7. Pile Lining

350.055
2.4m



7. Pile Lining

350.056
2.4m



5. Black Steel Bead
7. Pile Lining

350.086
2.4m



5. Black Steel Bead
7. Pile Lining

350.088
2.4m



4. Stainless Steel Bead
6. Rubber Covered
7. Pile Lining

350.146
2.4m

4. Stainless Steel Bead
6. Rubber Covered
7. Pile Lining

350.151
2.4m



5. Black Steel Bead
7. Pile Lining

350.199
2.4m

Bailey Channel

Bailey Channel—Flexible



Rubber Covered
Pile Lining
Felt Lining

350.032
2.4m



Rubber Covered
Pile Lining
Felt Lining

350.049
2.4m



Rubber Covered
Pile Lining
Felt Lining

350.300
2.4m



Rubber Covered
Pile Lining
Felt Lining

350.321
25m



Rubber Covered
Pile Lining
Felt Lining

350.852
30m^



Stainless Steel Bead

350.528
2.4m



Stainless Steel Bead
Rubber Covered
Pile Lining

350.620
2.4m



Stainless Steel Bead
Rubber Covered
Pile Lining

350.630
2.4m



Rubber Covered
Pile Lining
Felt Lining

350.526
2.4m

Bailey Channel—Rigid



Rubber Covered
Pile Lining
Felt Lining

350.035
2.4m



Rubber Covered
Pile Lining
Felt Lining

350.050
2.4m



Stainless Steel Bead
Pile Lining

350.582
2.4m



Stainless Steel Bead
Pile Lining
Felt Lining

350.134
2.4m



Stainless Steel Bead
Pile Lining

350.614
2.4m



Stainless Steel Bead
Pile Lining

350.619
2.4m

Bailey Channel—Flock Coated Rubber

350.209
30m

350.222
30m

350.224
30m

350.264
20m

350.334
15m

350.335
15m

350.338
15m

350.339
30m

350.340
30m

350.341
30m

350.342
30m

350.343
30m

350.349
30m^

350.350
30m^

350.351
30m

350.352
30m^

350.353
30m^

350.354
30m

350.355
30m^

350.356
30m^

350.359
15m^

350.360
30m

350.452
30m

350.457
2.4m

350.458
30m

Bailey Channel—Flock Coated Rubber (continued)



350.483
30m



350.601
30m



350.602
30m



350.634
2.4m



350.636
2.4m



350.638
2.4m



350.639
2.4m

Bailey Channel—Double Rubber



Flexibile Channel
Rubber Flock Coated

350.637
2.4m



Rigid Channel
Stainless Steel Bead
Pile Lining
Felt Lining

350.583
2.4m

Felt—Channel Lining

Product	Width (mm)	Height (mm)	Length (m)
350.010	32	4.8	8
350.011	25	3.2	10
350.012	44	1.6	20
350.015	50	4.8	8

350.010
8m

350.011
10m

350.012
20m

350.015
8m

Clips and Fasteners

Accelerator Linkage Clips

892.113
Holden HQ

Badge Retainers

892.235L

892.235M



892.235S

892.087

892.221
3mm hole

892.223
2mm hole

Body Mould Retainers—Butterfly



892.029
Nuts: 892.201



892.226
Nuts: 892.039, 892.225N



892.238
Nuts: 892.202, 892.038



892.239
Nuts: 892.202, 892.038



892.245
Nuts: 892.202, 892.038

* Image not to 1:1

Body Mould Retainers—Metal Plates

892.227

Body Mould Retainer—Plastic



892.012

892.013



892.054
Fits 4.3mm hole

892.059

892.106

892.229

892.265

892.267



892.269

892.271



892.272

892.368

892.501



892.545
Fits 4mm hole

892.546



892.787
Fits 5mm hole

892.788



892.843
Fits 4.8mm hole

Body Mould Retainer—Wire



892.026
Fits 11mm hole

892.032
Fits 1/4" hole

892.034
Fits 5/16" hole

892.035
Fits 5/16" hole

Body Cable Clips



892.541

Door Handle Clips

892.213

Bonnet Insulator Clips

892.045
Fits 7mm hole

Caged Nuts



371.001
5/16" BSW Nut

Part	Nut Size	Overall Length	Overall Height
371.003	3/8"	45mm	11mm
371.004	5/16"	46mm	11mm
371.005	1/4"	40mm	8mm
371.006	6mm	40mm	8mm
371.008	8mm	45mm	11mm
371.010	10mm	45mm	11mm

Door Lock Trim



892.088
Fits 12mm hole

892.089
Fits 8mm hole

892.090
Fits 13mm hole

Door Seal Clips

261.001 Pk 20
261.002 Pk 100
Ford/Chrysler



261.003 Pk 20
261.007 Pk 100
GM (US)



261.010 Pk 20
261.011 Pk 100
Japanese—Yellow

261.012 Pk 20
261.013 Pk 100
Japanese—Grey

261.018 Pk 20
261.019 Pk 100
Japanese—Black

Door Seal Insulator

892.578
Pk 20



892.234 Each
892.234P Pk 25
Fits 8mm hole

Canoe Clips

892.008
Fits 3.5mm hole

892.075
Fits 9mm hole

892.071
Fits 7mm hole

892.072
Fits 5mm hole

canoe clip

892.114
Fits 4mm hole



892.523
Fits 5.5mm hole

Door Trim Retainers

892.010
Fits 8mm hole



892.043
Fits 8mm hole

892.044
Fits 8mm hole



892.060
Foits 8mm hole

892.069
Fits 6mm hole

892.074
Fits 5.5mm hole

892.097
Fits 7mm hole



892.111
Fits 5.5mm hole



892.210
Fits 8mm hole



892.231
Fits 8.7mm hole



892.557
Fits 8mm hole

Bumper Clips

892.247
Ford Falcon EA-ED (88/94)

Fasteners—Durable Dot

383.007A

383.007B

383.012A

383.012B

383.006A

Turn Button Fasteners

383.008
Screw on—Single Post
22mm hole centres

383.016
Screw on—Double Post
22mm hole centres

383.009A

383.009B

383.015
Progned—Single Post

383.013
Pronged—Double Post



383.014
Clinch Plate

Headlight Clips



892.098

Guard Mounting Bolts



892.112M



892.112S

Helmut Nuts—Self Cutting

892.233
1/4”

892.240
1/4”

892.204
1/8”

892.094
3/16”

892.202
3/16”

892.039
3/16”

Nuts—Hex

892.038
3/16”—10-24 UNC

892.264N
M3

892.225N
M5

Nuts—Nutserts

892.079
08-32UNC

892.040
1/4”—20 USS Alu

892.042
1/4”—20 USS Steel

J Nuts



892.257
1/4” hole

892.215
1/8” hole



892.217
1/8” hole



892.256
1/8” hole

892.260
3/16” hole

892.062
5/32” hole

892.275
5/16” hole

INTERIOR CLIPS—Christmas Tree



892.243BLA
Fits 7mm hole

892.243BRO
Fits 7mm hole

892.243CRE
Fits 5.5mm hole

892.243FAW
Fits 7mm hole

892.243NAT
Fits 7mm hole

892.022
Fits 5.5mm hole



892.024
Fits 7.5mm hole



892.046
Fits 5.5mm hole

892.052
Fits 6.5mm hole

892.064
Fits 7mm hole



892.065
Fits 4mm hole



892.076
Fits 5.5mm hole



892.110
Fits 5mm hole



892.066
Fits 6.5mm hole

892.006
Fits 4mm hole

892.004
Fits 4.5mm hole



892.007
Fits 3mm hole

892.005
Fits 5mm hole

Lock Fittings

892.526
5mm hole



892.527
6mm hole



892.528
6mm hole

Pipe Clamps

407.004
1/4"

407.001
3/8"

407.002
5/16"

407.003
1/2"

892.025
Fits 7mm hole

Rivits

892.200A
1/8" Diameter

892.203

892.003

424.002

424.001

424.004

Jack Handle/Bonnet Stay Clips

892.016
Fits 7mm hole

892.058
Fits 7mm hole

Screws

892.184
Headlight adj screw

892.063
#8 32 x 1/2"
Pan Head

892.080
#8 32 x 5/16"
Pan Head

424.002
CSK 5/8"

892.209
CSK RDS
10 x 3/4"

892.122
#4.24 x 3/8"

Scrivets

892.048

892.049

892.105



892.014
0m

892.078



892.015

892.053

Screw Grommets—Grille Retainers

892.086
Fits 9mm hole
Takes 5mm screw

892.468
3mm hole

892.469
2.5mm hole

892.470
2.5mm hole

892.471
3mm hole

892.472
4.5mm hole

892.473
3.5mm hole

892.475
4mm hole

892.476
3mm hole

892.495
3.6mm hole

892.875
4.5mm hole



892.876
3.6mm hole

892.877
3mm hole

Gill Clips



892.073

Screen Seal Clips

892.542
Ford

892.092
Falcon XD/XF

892.543
Holden

892.099
Ford WX/XY

892.011
Holden FL Special

892.544
Holden HQ/HZ wagon

892.519
Japanese

892.529
Leyland P76

Speed Nuts—Push-on Retainers

892.218
1/4”

892.220
3/16”

892.284
5/32”

892.285
1/8”

892.286
3/32”

892.212
1/8”



892.219
3/16”

892.283
5/16”



892.216
5/32”

892.242
1/4”

Trim Fasteners



350.013 Pk 20
135.113 Pk 100
Pinchweld Clip—Internal

350.009 Pk 20
135.109 Pk 100
English

Tonneau Cover Fasteners

892.696
Rope Ring

892.694
Hook—Ford

892.695
Stud for 892.694

892.692
Hood—Holden

892.693
Stud for 892.692

893.005
Strap—90mm

893.003
Strap Kit—Ford

WASHERS—General (metal)

892.631

892.628

892.620

Part	OD	ID	Depth
892.631	13mm	3mm	1.0mm
892.628	16mm	5mm	1.0mm
892.620	19mm	6mm	1.5mm
892.624	19mm	8mm	1.0mm
892.637	25mm	6mm	2.0mm
892.626	27mm	10mm	1.5mm



892.624

892.637

892.626

WASHERS—Raised Cup (metal)

432.012
Pk 30

432.016
Pk 30

432.013
Pk 30

432.014
Pk 30

Part	OD	ID
432.012	8	3
432.016	8	4
432.013	10	4
432.014	12	5
432.015	15	6
432.017	16	6
432.018	18	7

432.015
Pk 30

432.017
Pk 25

432.018
Pk 25

WASHERS—Countersunk (metal)

432.009 Pk 30
432.109 Pk 100

432.010 Pk 30
432.110 Pk 100

432.011 Pk 30
432.111 Pk 100

WASHERS—Mudguards (metal)

892.630

892.634

892.636

Part	OD	ID	Depth
892.630	32mm	6mm	1.5mm
892.634	32mm	9mm	1.5mm
892.636	32mm	10mm	1.5mm

WEATHERSTRIPS CLIPS



These clips are used to retain the weatherstrips.

Where you rest your arm when your window has been wound down.



350.002 Pk 20
135.102 Pk 100
Chrysler



350.014 Pk 20
135.114 Pk 100
Datsun/English



350.016 Pk 20
135.116 Pk 100
Double Sided S-Shaped

135.024
Screw In

350.005 Pk 20
135.105 Pk 100
English—Push In



350.007 Pk 20
135.107 Pk 100
English—U-Section



350.008 Pk 20
135.108 Pk 100
Ford



350.004 Pk 20
135.104 Pk 100
GM to 1966



350.006 Pk 20
135.106 Pk 100
GM to 1966



135.025
Holden VB-VL
Outer



892.500
Ford XD/E/FOuter



350.022 Pk 20
135.122 Pk 100
Toyota

Step Treads

Step Treads

235.011
25m

235.007
25m

235.010
25m

(not to 1:1)

205.001
Morris Oxford 48/54 Fr

235.011
25m

235.017
25m

235.007
25m

235.010
25m

235.018
25m

Rubber Matting



247.014
1.5mm Neoprene
sold as 100 x 100mm
increments



247.015
3mm Neoprene
sold as 100 x 100mm
increments



204.006
10m

Engine Mounts

Part Number (order)	Vechile
000.012	Vauxhall
000.062	Studebaker President 8
000.142	Vauxhall
275.2000	Bracket Kit Ford XR-XY V8
275.478	Holden FX/FJ Fr
N277.901	Dodge Car Reconditioning
275.001	Triumph Gloria
275.002	Oakland 1928 Re
275.005	Ford 100E Prefect/Anglia
275.007	Ford XM/XP Front
275.008	Ford Escort Mk 2 Front L/R
275.009	Hillman Imp LH
275.010	Hillman Imp RH
275.1128	Holden HK/HT/HG Chev Engine
275.1157	Holden HQ-WB 253/308
275.1242	Datsun 1200, 1600, 120Y Fr
275.157	Morris to 1938 Fr Lower
275.270	Buick 1934/38 Fr Upp
275.303R	Morris Early
275.315	Plymouth 1939/53 Re Lower
275.479	Holden FX/FJ Re
275.623	M/Minor 1948/52 S/V
275.639	M/Minor 1952/60 OHV
275.736	Holden FE-FB Fr
275.737	Holden FE/EK Manual Rear

Part Number	Vechile (order)
275.200	Bracket Kit Ford XR-XY V8
275.270	Buick 1934/38 Fr Upp
275.1242	Datsun 1200, 1600, 120Y Fr
N277.901	Dodge Car Reconditioning
275.005	Ford 100E Prefect/Anglia
275.008	Ford Escort Mk 2 Front L/R
275.007	Ford XM/XP Front
275.009	Hillman Imp LH
275.010	Hillman Imp RH
275.736	Holden FE-FB Fr
275.737	Holden FE/EK Manual Rear
275.478	Holden FX/FJ Fr
275.479	Holden FX/FJ Re
275.1128	Holden HK/HT/HG Chev Engine
275.1157	Holden HQ-WB 253/308
275.623	M/Minor 1948/52 S/V
275.639	M/Minor 1952/60 OHV
275.303R	Morris Early
275.157	Morris to 1938 Fr Lower
275.002	Oakland 1928 Re
275.315	Plymouth 1939/53 Re Lower
000.062	Studebaker President 8
275.001	Triumph Gloria
000.012	Vauxhall
000.142	Vauxhall

Step Treads

Part Number	Vechile
000.097M	Step Tread Mat Boat - Black Mat
000.097U	Step Tread Mat (Undermat)
000.098M	Step Tread Mat Boat - White Mat
235.007	Door Step Tread Medium
235.010	Door Sill Step Tread Small
235.011	Door Sill Step Tread Large
235.017	Door Sill Step Tread Medium
235.018	Step Tread Cover Bus
205.001	Door Step Tread M/Oxford 48/54 Front

Pedal Pads—Table

Code	Vechile (order)	Size	Acc	Bra	Clu
240.001	Universal—Round			Br	Cl
240.002	Morris 1935/63—Round	72 x 40		Br	Cl
240.003	Morris 1935/63		Ac		
240.004	Austin A40—Round	63 x 63		Br	Cl
240.005	Austin—Square	65 x 51		Br	Cl
240.006	Ford Ang/Pre 1939/53—Square	75 x 60		Br	Cl
240.007	Chevrolet 1945/52—Square	89 x 49		Br	Cl
240.008	Bedford/Vauxhall/Austin A60 Cambridge—Square	67 x 53		Br	Cl
240.009	Toyota L/Cruis 1979-84			Br	Cl
240.010	Austin A30—Round	55 x 55		Br	Cl
240.011	Austin/Morris—Round	79 x 79		Br	Cl
240.012	Morris 1935/63—Square	73 x 41		Br	Cl
240.013	Austin 10 HP—Round	68 x 68		Br	Cl
240.014	Chrysler—Round	92 x 57		Br	Cl
240.015	Austin A30/35—Round	45 x 45	Ac		
240.017	Commer/Hillman—Round	85 x 55		Br	Cl
240.018	Ford 1934/51—Round	83 x 83		Br	Cl
240.019	Bedford—Square	85 x 65		Br	Cl
240.022	Holden Gemini TE-TG			Br	Cl
240.024	Mini (BMC) Mk 1/2 & 1100—Sq	51 x 42		Br	Cl
240.025	Austin A40 Farina H/Sprite—Sq	68 x 40		Br	Cl
240.028	Humber—Square	72 x 54		Br	Cl
240.030	Universal Round			Br	Cl
240.031	Jaguar		Ac	Br	Cl
240.032	Daimler—Square	84 x 46		Br	Cl
240.033	Holden Commodore VB VC VH VK VL VN VP VR VS VT			Br	Cl
240.034	Volkswagon—Square	65 x 50		Br	Cl

Code	Vechile (order)	Size	Acc	Bra	Clu
240.035	Hillman Minx—Square (Round ends)	77 x 57		Br	Cl
240.036	Hillman Sunbeam Imp—Sq	60 x 36		Br	Cl
240.038	Ford Consul/Zephyr—Square (rounded end)	70 x 68		Br	Cl
240.039	Universal—Square	83 x 57		Br	Cl
240.040	Austin, Morris Truck—Square (rounded end)	86 x 68		Br	Cl
240.041	GMC Chev Truck—Square (curved sides)	91 x 62	Ac	Br	Cl
240.042	Triumph Herald—Square	75 x 37		Br	Cl
240.043	Bedford Truck—Square (rounded ends)	81 x 64		Br	Cl
240.046	Hillman		Ac		
240.047	Vauxhall—Square	61 x 45		Br	Cl
240.048	Mazda 808—Square	61 x 45		Br	Cl
240.051	Holden 48/FX/FJ—Square (curved sides)	76 x 49		Br	Cl
240.051R	Holden 48/FJ			Br	Cl
240.052	Pedal Shaft Felt Seals Holden FX/J				
240.053R	Holden 48/FJ Pedal Bump Stop				
240.054	Holden FE-EK—Square (curved sides)	75 x 45		Br	Cl
240.055	Holden EJ/EH—Square (curved sides)	68 x 46		Br	Cl
240.056	Holden HD/HR—Square (tappered)	84–67 x 67		Br	Cl
240.057	Jaguar Various		Ac	Br	Cl
240.058	Jaguar		Ac		
240.059	Toyota L/Cruis 11/84			Br	Cl
240.060	Ford Escort 1975- — Trapezoid	66 x 52		Br	Cl
240.061	Ford Falcon XR Auto			Br	
240.062	Valiant VE-CM—Square	81 x 78		Br	Cl
240.063	Ford Falcon XR				Cl
240.065	Ford Falcon XR			Br	
240.066	Holden 48-EK		Ac		

Code	Vechile (order)	Size	Acc	Bra	Clu
240.067	Holden EJ-HG (Includes Mounting Bracket)		Ac		
240.068	Holden HK-WB Man Drum—Square (tappered)	79–64 x 55		Br	Cl
240.069	Holden HK-WB Auto			Br	
240.070	Holden HK-WB Man Disc—Square (tappered)	81–67 x 56		Br	
240.071	Ford Falcon XP Auto			Br	
240.072	Ford Anglia 105E—Square (tappered)	54–50 x 66		Br	
240.073	Ford Anglia 105E—Square (tappered)	54–50 x 66			Cl
240.074	Holden Commodore VB/VZ				Cl
240.076	Ford Anglia 1940-53 Pedal Bump Stop				
240.078	Holden Torana HB-LJ—Square	66 x 46		Br	Cl
240.079	Holden HD/HR Auto			Br	
240.080	Austin Lancer—Square (radius)	61 x 54		Br	Cl
240.081	Ford Cortina TC-TF Man			Br	
240.082	Ford Cortina TC-TF				Cl
240.083	Ford Cortina TC-TF Auto			Br	
240.088	Willys/Univ	90 x 60		Br	Cl
240.090P	Plate for 240.090				
240.093	Ford Zephyr Mk 3			Br	Cl
240.094	Ford Ang/Pref 100E			Br	Cl
240.095	Ford Cortina Mk I			Br	Cl
240.097	Nissan/Datsun			Br	Cl
240.098	Toyota L/Cruis to 01/79			Br	Cl
240.099	Ford Falcon XK-XP			Br	Cl
240.100	Ford Falcon XR-XF Man Disc			Br	
240.101	Holden Torana LH-UC			Br	Cl
240.102	Holden EK-EH Auto			Br	
240.103	Holden Various		Ac		

Code	Vechile (order)	Size	Acc	Bra	Clu
240.104	Holden Statesman WB Auto			Br	
240.105	Ford XW/AU		Ac		
240.106	Mitsubishi Various			Br	Cl
240.107	Mitsubishi L300/Pajero			Br	Cl
240.108	Mitsubishi Various Auto			Br	
240.112	Ford Falcon XA/XC Auto Disc			Br	
240.119	Holden HK-HG Auto Disc			Br	
240.121	Ford XK-XP Auto			Br	
240.122	Holden HD-HR (Includes Mounting Bracket)		Ac		
240.123	Holden HK/HT/HG (Inc Mounting Bracket)		Ac		
240.138	Clutch Pedal Bumper HK-HT-HG				Cl
240.600	Pedal Bush BR/CL Ford XK-XE, ZA-ZK		Ac	Br	Cl
240.601	Pedal Bush Kit BR/CL Holden HK-WB LC-UC			Br	Cl
240.602	Bush Kit XW-XY			Br	Cl

PEDAL PADS—Illustration (not to scale)

240.001

240.002
72 x 40

240.003
0m

240.004
63 x 63

240.005
65 x 51

240.006
75 x 60

240.007
89 x 49

240.008
67 x 53

240.009

240.010
55 x 55

240.011
79 x 79

240.012
73 x 41

240.013
68 x 68

240.014
92 x 57

240.015
45 x 45

241.017
85 x 55

240.018
83x 83

240.019
85 x 65

240.022

240.024
51 x 42

240.025
68 x 40

240.028
72 x 54

240.030

240.031

240.032
84 x 46

240.033

240.034
65 x 50

240.035
77 x 57

240.036
70 x 68

240.038
70 x 68

240.039
83 x 57

240.040
86 x 68

240.041
91 x 62

240.043
81 x 64

240.046

240.047
61 x 45

240.048
61 x 45

240.051
76 x 49

240.051R

240.052

240.053R

240.054
75 x 45

240.055
68 x 46

240.056
84–67x 67

240.057

240.058

240.059

240.060
66 x 52

240.063

240.065

240.066

240.067

240.068
76–64 x 55

240.069

240.070
81–67 x 56

240.071
0m

240.072
54–50 x 66

240.073
54–50 x 66

240.076

240.078
66 x 46

240.079

240.080
61 x 54

240.081

240.082

240.083

240.088
90 x 60

240.090P
Plate for 240.090

240.093

240.094

240.095

240.097

240.098

240.099

240.100

240.101

240.102

241.103

240.104

240.105

240.106

240.107

240.108

240.112

240.119

240.121

240.122

240.123

240.138

240.600

240.601

240.602

Bump Stops—Domed/Rounded Head

Product Number (order)	Fits hole (mm)	Head Diameter (mm)	Head Height (mm)
236.009	8	18	19
236.030	6	16	11
236.031	8	16	16
236.039	6	15	6
236.047	5	12	7
236.104	5	8	5
236.162	6	11	6
236.233	8	16	7
236.305	6	17	12
236.307	3.5	11	10
236.309	7	19	20
236.401	4	8	7
236.414	6	11	11
236.416	6	19	9
236.417	7.5	15	19
236.419	8	14	14

Product Number	Fits hole (mm) (order)	Head Diameter (mm)	Head Height (mm)
236.307	3.5	11	10
236.401	4	8	7
236.047	5	12	7
236.104	5	8	5
236.162	6	11	6
236.414	6	11	11
236.039	6	15	6
236.030	6	16	11
236.305	6	17	12
236.416	6	19	9
236.309	7	19	20
236.417	7.5	15	19
236.419	8	14	14
236.233	8	16	7
236.031	8	16	16
236.009	8	18	19



236.009
Fits 8mm hole

236.030
Fits 6mm hole



236.031
Fits 8mm hole

236.039
Fits 6mm hole

236.047
Fits 5mm hole



236.104
Fits 5mm hole



236.162
Fits 6mm hole

236.233
Fits 8mm hole



236.305
Fits 6mm hole

236.307
Fits 3.5mm hole



236.309
Fits 7mm hole

236.401
Fits 4mm hole

236.414
Fits 6mm hole

236.416
Fits 6mm hole



236.417
Fits 7.5mm hole



236.419
Fits 8mm hole

BUMP STOPS—Flat Head—Table (Illustrations on following pages)

Product Number (order)	Fits hole (mm)	Head Diameter (mm)	Head Height (mm)
236.001	9	20	4
236.005	13	25	13
236.022	9	21	20
236.023	6	15	13
236.024	6	18	25
236.028	12	23	12
236.029	10	15	5
236.041	12	23	5
236.080	7	12	3
236.090	7	14	7
236.094	8	13	8
236.105	6	14	9
236.130	7	11	8
236.133	3	8	6
236.152	7	14	9
236.169	3	8	5
236.171	5	10	8
236.183	6	19	3
236.187	10	19	5
236.212	7	15	16
236.215	5	12	3
236.217	9	18	14
236.301	6	14	11
236.302	6	13	6
236.303	6	18.5	6
236.304	6	18	3
236.306	12	18	6
236.308	7	18	16
236.402	7	12	4
236.403	3	8	4
236.404	7	18	3
236.405	6	12	10
236.407	6	15	6
236.408	6	22	8
236.409	6	19	12
236.410	6	12	3
236.412	7	15	7
236.413	7	13	7
236.415	7	16	5
236.418	6	16	17
236.425	6	23	12.5
236.426	6	13	8
236.427	6	23	10
236.429	6	16	8

Product Number	Fits hole (mm) (order)	Head Diameter (mm)	Head Height (mm)
236.403	3	8	4
236.169	3	8	5
236.133	3	8	6
236.171	5	10	8
236.215	5	12	3
236.410	6	12	3
236.405	6	12	10
236.302	6	13	6
236.426	6	13	8
236.105	6	14	9
236.301	6	14	11
236.407	6	15	6
236.023	6	15	13
236.429	6	16	8
236.418	6	16	17
236.304	6	18	3
236.024	6	18	25
236.303	6	18.5	6
236.183	6	19	3
236.409	6	19	12
236.408	6	22	8
236.427	6	23	10
236.425	6	23	12.5
236.130	7	11	8
236.080	7	12	3
236.402	7	12	4
236.413	7	13	7
236.090	7	14	7
236.152	7	14	9
236.412	7	15	7
236.212	7	15	16
236.415	7	16	5
236.404	7	18	3
236.308	7	18	16
236.094	8	13	8
236.217	9	18	14
236.001	9	20	4
236.022	9	21	20
236.187	10	19	5
236.029	10	15	5
236.306	12	18	6
236.041	12	23	5
236.028	12	23	12
236.005	13	25	13

Bump Stops—Flat Head—Illustraion



236.001
Fits 9mm hole



236.005
Fits 13mm hole



236.022
Fits 9mm hole

236.023
Fits 6mm hole

236.024
Fits 6mm hole

236.028
Fits 12mm hole

236.029
Fits 10mm hole



236.041
Fits 12mm hole

236.080
Fits 7mm hole

236.090
Fits 7mm hole

236.094
Fits 8mm hole

236.105
Fits 8mm hole



236.130
Fits 7mm hole



236.133
Fits 3mm hole



236.152
Fits 7mm hole



236.169
Fits 3mm hole

236.171
Fits 5mm hole

236.183
Fits 6mm hole

236.187
Fits 10mm hole



236.212
Fits 7mm hole

236.215
Fits 5mm hole



236.217
Fits 9mm hole



236.301
Fits 6mm hole

236.302
Fits 6mm hole



236.303
Fits 6mm hole



236.304
Fits 6mm hole

236.306
Fits 12mm hole



236.308
Fits 7mm hole

236.402
Fits 7mm hole

236.403
Fits 3mm hole

236.404
Fits 7mm hole



236.405
Fits 6mm hole

236.407
Fits 6mm hole



236.408
Fits 6mm hole



236.409
Fits 6mm hole

236.410
Fits 6mm hole



236.412
Fits 7mm hole



236.413
Fits 7mm hole

236.415
Fits 7mm hole

236.418
Fits 6mm hole



236.425
Fits 6mm hole

236.426
Fits 6mm hole

236.427
Fits 6mm hole

236.429
Fits 6mm hole

STOPPERS—Twin Pronged

Product Number (order)	Fits hole (mm)	Hole Centres (mm)	Height (mm)	Overall Length (mm)
228.007	6	12	10	25
228.008	6	12	20	27
236.420	5.5	11	12	21
236.421	5	37	10	50

Product Number	Fits hole (mm) (order)	Hole Centres (mm)	Height (mm)	Overall Length (mm)
236.421	5	37	10	50
235.420	5.5	11	12	21
228.007	6	12	10	25
228.008	6	12	20	27

228.007
Fits 6mm hole

228.008
Fits 6mm hole

236.420
Fits 5.5mm hole

236.421
Fits 5mm hole

FLOOR PLUGS

Product Number (order)	Fits hole (mm)	ID (mm)	Material Thickness (mm)
238.007	24	7	4
238.032	20	7	1
238.043	52	7	10
238.072	23	7	1
238.097	64	7	5
238.146	25	7	1
238.147	19	7	1
238.196	38	7	4

Product Number	Fits hole (mm) (order)	ID (mm)	Material Thickness (mm)
238.147	19	7	1
238.032	20	7	1
238.072	23	7	1
238.007	24	7	4
238.146	25	7	1
238.196	38	7	4
238.043	52	7	10
238.097	64	7	5

238.007
Fits 24mm hole

238.032
Fits 20mm hole

238.041
Fits 35mm hole

238.043
Fits 52mm hole

238.072
Fits 23mm hole

238.097
Fits 64mm hole

238.146
Fits 25mm hole

238.147
Fits 19mm hole

238.196
Fits 38mm hole

STOPPERS—Plastic

Product Number (order)	Fits hole (mm)	Material Thickness (mm)
238.026	6	1
238.081	10	3
238.082	13	3
238.083	16	4
238.084	23	4
238.085	26	4
238.086	38	4
238.087	32	4
238.088	19	4
238.156	8	4

Product Number (order)	Fits hole (mm) (order)	Material Thickness (mm)
238.026	6	1
238.156	8	4
238.081	10	3
238.082	13	3
238.083	16	4
238.088	19	4
238.084	23	4
238.085	26	4
238.087	32	4
238.086	38	4



238.026
Fits 6mm hole

238.081
Fits 10mm hole

238.082
Fits 13mm hole

238.083
Fits 16mm hole

238.084
Fits 23mm hole

238.085
Fits 26mm hole

238.086
Fits 38mm hole

238.087
Fits 32mm hole

238.088
Fits 19mm hole

238.156
Fits 8mm hole

GROMMETS—Flanged, Blank

Product Number (order)	Fits hole (mm)	Overall Diameter (mm)	Material Thickness (mm)
238.010	23	33	1
238.014	38	49	1
238.018	32	41	1
238.019	45	57	1
238.042	50	63	1
238.095	27	38	1
238.096	36	48	1
238.361	60	77	1

Product Number	Fits hole (mm) (order)	Overall Diameter (mm)	Material Thickness (mm)
238.010	23	33	1
238.095	27	38	1
238.018	32	41	1
238.096	36	48	1
238.014	38	49	1
238.019	45	57	1
238.042	50	63	1
238.361	60	77	1

238.010
Fits 23mm hole

238.014
Fits 38mm hole

238.018
Fits 32mm hole

238.019
Fits 45mm hole

238.042
Fits 50mm hole

238.095
Fits 27mm hole

238.096
Fits 36mm hole

238.361
Fits 60mm hole

GROMMETS—Parallel Sided, Blank

Product Number (order)	Fits hole (mm)	Material Thickness (mm)
238.002	20	2
238.003	26	2
238.004	32	2
238.005	38	1
238.006	22	2
238.061	10	1
238.062	11	2
238.063	15	2
238.073	40	2
238.095	27	7
238.161	17	2
238.262	6	2
238.323	50	2

Product Number	Fits hole (mm) (order)	Material Thickness (mm)
238.262	6	2
238.061	10	1
238.062	11	2
238.063	15	2
238.161	17	2
238.002	20	2
238.006	22	2
238.003	26	2
238.095	27	7
238.004	32	2
238.005	38	1
238.073	40	2
238.323	50	2

238.002
Fits 20mm hole

238.003
Fits 26mm hole

238.004
Fits 32mm hole

238.005
Fits 38mm hole

238.061
Fits 10mm hole

238.062
Fits 11mm hole

238.073
Fits 40mm hole

238.095
Fits 23mm hole

238.161
Fits 17mm hole

238.262
Fits 6mm hole

238.323
Fits 50mm hole

GROMMETS—Flanged, Wiring Harness

Product Number (order)	Fits hole (mm)	Internal Diameter (mm)	Material Thickness (mm)
238.150	43	10	1
238.008	13	2	1.5
238.037	13	8	2
238.045	34	13	3
238.046	45	9	1
238.049	25	10	1
238.050	21	13	1
238.065	44	16	1
238.066	44	22	1
238.067	41	16	1
238.068	16	6	1
238.143	16	8	1
238.144	19	6	1
238.145	19	8	1
238.149	29	17	4
238.154	28	19	1
238.301	8	4	1
238.302	8	5	1
238.303	11	6	1
238.304	11	6	3
238.305	13	9	1
238.306	13	10	3
238.307	14	6	1
238.308	19	10	1
238.309	21	16	1
238.310	19	13	1
238.311	25	16	1
238.604	10	6	1

Product Number	**Fits hole (mm) (order)**	Internal Diameter (mm)	Material Thickness (mm)
238.301	8	4	1
238.302	8	5	1
238.604	10	6	1
238.303	11	6	1
238.304	11	6	3
238.306	13	10	3
238.008	13	2	1.5
238.037	13	8	2
238.305	13	9	1
238.307	14	6	1
238.068	16	6	1
238.143	16	8	1
238.144	19	6	1
238.145	19	8	1
238.308	19	10	1
238.310	19	13	1
238.050	21	13	1
238.309	21	16	1
238.049	25	10	1
238.311	25	16	1
238.154	28	19	1
238.149	29	17	4
238.045	34	13	3
238.067	41	16	1
238.150	43	10	1
238.065	44	16	1
238.066	44	22	1
238.046	45	9	1

238.150
Fits 43mm hole

238.008
Fits 13mm hole

238.037
Fits 13mm hole

238.045
Fits 34mm hole

238.046
Fits 45mm hole

238.049
Fits 25mm hole

238.050
Fits 21mm hole

238.065
Fits 44mm hole

238.066
Fits 44mm hole

238.067
Fits 41mm hole

238.068
Fits 16mm hole

238.143
Fits 16mm hole

238.144
Fits 19mm hole

238.145
Fits 19mm hole

238.149
Fits 29mm hole

238.154
Fits 28mm hole

238.301
Fits 8mm hole

238.302
Fits 8mm hole

238.303
Fits 11mm hole

238.304
Fits 11mm hole

238.305
Fits 13mm hole

238.306
Fits 13mm hole

238.307
Fits 14mm hole

238.308
Fits 19mm hole

238.309
Fits 21mm hole

238.310
Fits 19mm hole

238.311
Fits 25mm hole

238.604
Fits 10mm hole

GROMMETS—Oval, Blank

Product Number (order)	Fits hole (mm)	Material Thickness (mm)
238.016	51 x 88	2
238.034	34 x 50	1
238.197	19 x 44	2.5
238.333	46 x 65	1
238.334	37 x 53	4
238.335	39 x 51	1

Product Number	Fits hole (mm) (length order)	Material Thickness (mm)
238.197	19 x 44	2.5
238.335	39 x 51	1
238.034	34 x 50	1
238.334	37 x 53	4
238.333	46 x 65	1
238.016	51 x 88	2

238.016
Fits 51 x 88mm hole

238.034
Fits 34 x 50mm hole

238.197
Fits 19 x 44mm hole

238.333
Fits 46 x 65mm hole

238.334
Fits 37 x 53mm hole

238.335
Fits 39 x 51mm hole

GROMMETS—Oval with Hole

Product Number (order)	Fits hole (mm)	Material Thickness (mm)
238.020	42 x 23	1
238.021	42 x 22	1
238.022	34 x 22	1
238.023	34 x 23	1
238.031	21 x 14	1
238.047	33 x 20	1
238.054	36 x 22	1
238.070	14 x 10	1
238.074	28 x 20	1
238.079	64 x 35	1
238.098	59 x 30	1
238.141	64 x 35	1

Product Number	Fits hole (mm) (order)	Material Thickness (mm)
238.070	14 x 10	1
238.031	21 x 14	1
238.074	28 x 20	1
238.047	33 x 20	1
238.022	34 x 22	1
238.023	34 x 23	1
238.054	36 x 22	1
238.021	42 x 22	1
238.020	42 x 23	1
238.098	59 x 30	1
238.079	64 x 35	1
238.141	64 x 35	1

238.020
Fits 23 x 42mm hole

238.021
Fits 22 x 42mm hole

238.022
Fits 22 x 34mm hole

238.023
Fits 23 x 34mm hole

238.031
Fits 14 x 21mm hole

238.047
Fits 20 x 33mm hole

238.054
Fits 22 x 36mm hole

238.070
Fits 10 x 14mm hole

238.074
Fits 20 x 28mm hole

238.079
Fits 35 x 64mm hole

238.098
Fits 30 x 59mm hole

238.141
Fits 35 x 64mm hole

GROMMETS—With Neck

Product Number (order)	Fits hole (mm)	Internal Dimension (mm)	Overall Height (mm)	Material Thickness (mm)
238.024	32	3	37	1
238.025	23	4	11	1
238.027	35	12	47	2
238.029	26	6	70	3
238.051	19	13	21	1
238.056	38	15	26	1
238.057	35	10	26	1
238.058	38	6	26	1
238.071	32	4	30	1

Product Number	Fits hole (mm) (order)	Internal Dimension (mm)	Overall Height (mm)	Material Thickness (mm)
238.051	19	13	21	1
238.025	23	4	11	1
238.029	26	6	70	3
238.071	32	4	30	1
238.027	35	12	47	2
238.024	32	3	37	1
238.057	35	10	26	1
238.056	38	15	26	1
238.058	38	6	26	1

238 .024
Fits 32mm hole
Suits Ford Cortina Mk1
Handbrake Cable
Firewall Grommet

238 .025
Fits 23mm hole
Suits Ford Cortina Mk1
Zephyr/Zodiac Mk3
Brakeline Firewall Grommet

238 .027
Fits 35mm hole
Suits Holden HK/HT/HG
Brake Pushrod
Firewall Grommet

238 .029
Fits 26mm hole
Suits Holden EH
Accererator Cable
Firewall Grommet

238 .051
Fits 19mm hole
Suits Holden FX/FJ
Headlight Bucket
Grommet

238 .056
Fits 38mm hole
Cable
Harness
Firewall Grommet

238 .057
Fits 35mm hole
Cable
Harness
Firewall Grommet

238 .058
Fits 38mm hole
Cable
Harness
Firewall Grommet

238 .071
Fits 32mm hole
Cable
Harness
Firewall Grommet